#### FEDERALLY ENFORCEABLE STATE OPERATING PERMIT - RENEWAL

### PERMITTEE

Jarke Corporation

Attn: Mr. Frank Sroka, Vice President

6333 West Howard Street Niles, Illinois 60714

Application No.: 95100060 I.D. No.: 031201ADQ

Applicant's Designation: JARKE-CORP Date Received: November 19, 2001

Subject: Industrial Rack Manufacturer

Date Issued: June 18, 2002 Expiration Date: June 18, 2007

Location: 6333 West Howard, Niles

This permit is hereby granted to the above-designated Permittee to OPERATE emission source(s) and/or air pollution control equipment consisting of a boiler, a gas dryer, and two paint spray booths with water spray control pursuant to the above-referenced application. This Permit is subject to standard conditions attached hereto and the following special condition(s):

- 1a. This federally enforceable state operating permit is issued to limit the emissions of air pollutants from the source to less than major source thresholds (i.e., 25 tons/yr for volatile organic material (VOM), 10 tons/yr for any single hazardous air pollutant (HAP) and 25 tons/yr for combined HAPs). As a result the source is excluded from the requirement to obtain a Clean Air Act Permit Program (CAAPP) permit. The maximum emissions of this source, as limited by the conditions of this permit, are described in Attachment A.
- b. Prior to issuance, a draft of this permit has undergone a public notice and comment period.
- c. This permit supersedes all operating permits issued for this location.
- 2. Pursuant to 35 Ill. Adm. Code 218.204(j)(2) the VOM content of the paint "as applied" shall not exceed 3.5 lb/gal (minus water and any compounds which are specifically exempt from the definition of VOM).
- 3a. Emissions and operation of the paint spray booths and paint gun cleaner shall not exceed the following limits:

	MOV				
	Materia	l Usage	Content	VOM Em:	issions
<u>Material</u>	(Gal/Mo)	(Gal/Yr)	(Lb/Gal)	(Ton/Mo)	(Ton/Yr)
Coatings	1,083.4	13,000	3.5	1.9	22.80
Clean-Up Solvent	13.9	166	7.5	0.05	0.63

These limits are based on maximum material usage (gal/month and gal/yr) and maximum VOM content (lb/gal).

b. The emissions of HAPs shall not exceed the following limits:

	HAPs Em	HAPs Emissions		
Item	(Ton/Month)	(Tons/Year)		
		_		
Individual HAP	0.80	9.5		
All HAPs	1.95	23.4		

This general HAP emission limit is to restrict the source below major source HAP levels and provide operational flexibility.

- c. Compliance with annual limits shall be determined from a running total of 12 months of data.
- 4. The Permittee shall maintain records of the following items for the paint spray booths:
  - a. The name and identification number of each coating as applied on each coating line.
  - b. The weight of VOM per volume (lb/gal) of each coating (minus water and any compounds which are specifically exempt from the definition of VOM) as applied each day on each coating line.
  - c. Paint and solvent usage (gal/mo and gal/yr).
  - d. VOM content of clean-up solvents (lb/gal).
  - e. The name and HAP content (lb/gal) of each HAP for each coating, solvent and any other material used containing HAPs.
- 5. All records and logs required by this permit shall be retained at a readily accessible location at the source for at least three years from the date of entry and shall be made available for inspection and copying by the Illinois EPA and USEPA upon request. Any records retained in an electronic format (e.g., computer) shall be capable of being retrieved and printed on paper during normal source office hours so as to be able to respond to an Illinois EPA request for records during the course of a source inspection.
- 6. Pursuant to 35 Ill. Adm. Code 212.322, particulate matter emissions from the 2 paint spray booths shall not exceed the allowable emissions rate of 2.15 lb/hr and 2.24 tons/year from each emissions unit based on each unit operating 2,080 hr/yr and the process weight rate of each emission unit not exceeding 765 lb/hr or 0.38 ton/hr.
- 7. Emissions and operation of the boiler and gas dryer (combined) shall not exceed the following limits:

## Natural Gas Consumption (mmscf/Mo) (mmscf\*/Yr)

2 18

	Emission Factor	Emissi	Emissions		
Pollutant	(Lb/mmscf)	(Ton/Mo)	(Ton/Yr)		
$NO_x$	100	0.1	0.9		
CO	84	0.1	0.8		

\* 1 mmscf = 10,200 therms

These limits are based on maximum natural gas consumption and standard AP-42 emission factors. Compliance with annual limits shall be determined from a running total of 12 months of data.

- 8. The Permittee shall maintain records of the following items for the boiler and natural gas dryer:
  - a. Total natural gas usage (mmscf/month and mmscf/year).
- 9. The Permittee shall, in accordance with the manufacturer(s) and/or vendor(s) recommendations, perform periodic maintenance on the pollution control equipment covered under this permit such that the pollution control equipment be kept in proper working condition and not cause a violation of the Environmental Protection Act or regulations promulgated therein.
- 10. If there is an exceedance of the requirements of this permit as determined by the records required by this permit, pursuant to 35 Ill. Adm. Code 218.211(c)(3) the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences.
- 11. The Permittee shall submit the following additional information with the Annual Emissions Report, due May 1st of each year:
  - a. Paint and solvent usage (gal/month and gal/yr).
  - b. Total natural gas usage (mmscf/month and mmscf/yr).
  - c. Emissions of each criteria pollutant, each single HAP, and combined HAPs (ton/mo and ton/yr).

If there have been no exceedances during the prior calendar year, the Annual Emission Report shall include a statement to that effect.

12. Two (2) copies of required reports and notifications concerning equipment operation or repairs, performance testing, or a continuous monitoring system shall be sent to:

Illinois Environmental Protection Agency Division of Air Pollution Control Compliance Section (#40) 1340 North Ninth Street P.O. Box 19276 Springfield, Illinois 62794-9276

<u>and</u> one (1) copy shall be sent to the Illinois EPA's regional office at the following address unless otherwise indicated:

Illinois Environmental Protection Agency Division of Air Pollution Control 9511 West Harrison Des Plaines, Illinois 60016

It should be noted that the mig welding line is exempt from state permit requirements, pursuant to 35 Ill. Adm. Code 201.146(y).

If you have any questions on this, please call Jim Kallmeyer at 217/782-2113.

Donald E. Sutton, P.E.
Manager, Permit Section
Division of Air Pollution Control

DES:JDK:jar

cc: IEPA, FOS Region 1
IEPA, Compliance Unit
Lotus Notes

### Attachment A - Emission Summary

This attachment provides a summary of the maximum emissions from an industrial rack manufacturing plant operating in compliance with the requirements of this federally enforceable permit. In preparing this summary, the Illinois EPA used the annual operating scenario which results in maximum emissions from such a plant. This is a maximum usage of VOM and HAP containing material from the paint booths. The resulting maximum emissions are well below the levels, e.g., 25 tons/yr for VOM, 10 tons/yr for any single HAP, and 25 tons/yr for combined HAPs, at which this source would be considered a major source for purposes of the Clean Air Act Permit Program. Actual emissions from this source will be less than predicted in this summary to the extent that VOM containing material is less than that required in this permit.

1a. Emissions and operation of the paint spray booths and paint gun cleaner shall not exceed the following limits:

	MOM				
	Materia	l Usage	Content	VOM Em	issions
<u>Material</u>	(Gal/Mo)	(Gal/Yr)	(Lb/Gal)	(Ton/Mo)	(Ton/Yr)
Coatings	1,083.4	13,000	3.5	1.9	22.80
Clean-Up Solvent	13.9	166	7.5	0.05	0.63

These limits are based on maximum material usage (gal/month and gal/yr) and maximum VOM content (lb/gal).

b. The emissions of HAPs shall not exceed the following limits:

	HAPs Em	issions
Item	(Ton/Month)	(Tons/Year)
	·	
Individual HAP	0.80	9.5
All HAPs	1.95	23.4

This general HAP emission limit is to restrict the source below major source HAP levels and provide operational flexibility.

- c. Compliance with annual limits shall be determined from a running total of 12 months of data.
- 2. Pursuant to 35 Ill. Adm. code 212.322, particulate matter emissions from the 2 paint spray booths shall not exceed the allowable emissions rate of 2.15 lb/hr and 2.24 tons/year from each emissions unit based on each unit operating 2,080 hr/yr and the process weight rate of each emission unit not exceeding 765 lb/hr or 0.38 ton/hr.
- 3. Emissions and operation of the boiler and gas dryer (combined) shall not exceed the following limits:

# Natural Gas Consumption (mmscf/Mo) (mmscf\*/Yr)

2 18

	Emission Factor	Emissions	Emissions		
Pollutant	(Lb/mmscf)	(Ton/Mo) (Ton/Yr	)		
$NO_x$	100	0.1 0.9			
CO	84	0.1 0.8			

\* 1 mmscf = 10,200 therms

These limits are based on maximum natural gas consumption and standard AP-42 emission factors. Compliance with annual limits shall be determined from a running total of 12 months of data.

JDK:jar